AMENDMENTS TO THE CLAIMS

1. (Currently amended) A display system comprising:

a projector mounted inside a vehicle for emitting a light beam, which is generated based on an image signal, toward an opening formed at a portion near a rear end of the vehicle;

an exterior screen extendable toward the opening and made of a material having low stiffness for displaying an image by allowing the light beam emitted by the said projector to pass therethrough while being extended toward the opening; and

an interior screen mounted inside the vehicle for displaying an image by allowing the light beam emitted by said projector to pass therethrough or by reflecting the light beam; and

a housing unit mounted on or near one of a rear hatch and a back door of the vehicle for accommodating the said exterior screen.

- 2. (Currently Amended) The display system according to claim 1, further comprising a loudspeaker mounted on the said housing unit for outputting sound based on an input sound signal.
- 3. (Currently Amended) The display system according to claim 2, further comprising an orientation setting mechanism for setting an orientation of the said loudspeaker toward either one of the inside of the vehicle and the outside of the vehicle.
- 4. (Currently Amended) The display system according to claim 1, further comprising:

a fixing member mounted on a portion near an end of the <u>said</u> exterior screen for removably fixing the <u>said</u> exterior screen near either one of the opening and ground; and an elastic member for providing the <u>said</u> exterior screen with tension from an end of the <u>said</u> exterior screen toward the <u>said</u> housing unit.

- 5. (Currently Amended) The display system according to claim 1, wherein the said projector is mounted at a mounting position on one of a ceiling of the vehicle and a back surface of a rear seat included in the vehicle.
- 6. (Currently Amended) The display system according to claim 5, wherein the said projector emits is operable to emit the light beam toward the said exterior screen while a back rest of the rear seat is tilted toward the front of the vehicle.
- 7. (Cancelled)
- 8. (Cancelled)
- 9. (Currently amended) The display system according to claim 5, further comprising a reflecting member for reflecting the light beam emitted from the projector toward the exterior screen, wherein:

the mounting position of said projector is on a back surface of a rear seat included in the vehicle; and

the <u>said</u> projector <u>emits is operable to emit</u> the light beam from the mounting position on the back surface of the rear seat toward <u>the said</u> reflecting member.

- 10. (Cancelled)
- 11. (Cancelled)
- 12. (Cancelled)
- 13. (Currently Amended) The display system according to claim 1, further comprising wherein:

at least one-said interior screen is mounted near a front seat of the vehicle; and

<u>said display system further comprises</u> a reflecting member for reflecting the light beam emitted by <u>the said projector</u> toward either one of <u>the said exterior</u> screen and <u>the</u> said interior screen; <u>and</u>, <u>wherein</u>

either one of the <u>said</u> exterior screen and the <u>said</u> interior screen to which the light beam enters <u>diffuses</u> is operable to <u>diffuse</u> the light beam reflected by the <u>said</u> reflecting member for displaying the image.

14. (Currently Amended) The display system according to claim 1, further comprising wherein:

at least <u>said</u> interior screen <u>is mounted</u> near a front seat of the vehicle for displaying an image by reflecting the light beam emitted by the <u>said</u> projector; and

said display system further comprises a reflecting member mounted on a rear surface of the said interior screen for reflecting the light beam emitted by the said projector toward the said interior screen while the said interior screen is changed in position.

15. (Currently Amended) The display system according to claim 1, further comprising a reflecting member mounted near a front seat of the vehicle for reflecting the light beam emitted by the said projector toward the said exterior screen; and

at least one wherein said interior screen which is mounted on a rear surface of the said reflecting member and reflects is operable to reflect the light beam emitted by the said projector for displaying an image while the said reflecting member is changed in position.

16. (Currently amended) A display system comprising:

a projector mounted inside a vehicle for emitting a light beam generated based on an image signal;

a screen for displaying an image by allowing the light beam emitted by the said projector to pass therethrough or by reflecting the light beam; and

a-at least one light shield having a surface which forms a predetermined angle with respect to the-said screen-;

17. (Currently Amended) A display system comprising:

a projector mounted inside a vehicle for emitting a light beam generated based on an image signal;

a screen mounted inside the vehicle for displaying an image by reflecting the light beam emitted by the said projector;

a supporting member for rotatably supporting the said screen;

a reflecting member mounted inside the vehicle for reflecting the light beam reflected by the said screen toward a rear seat of the vehicle; and

a detector for detecting a rotation angle of the said screen; wherein the wherein said projector includes:

an image deforming unit for deforming the image based on the rotation angle detected by the said detector and a position of the said screen; and an optical system for generating a light beam based on the image deformed by the said image deforming unit and emitting the light beam.

- 18. (New) The display system according to claim 13, wherein said projector is mounted to a rear seat of the vehicle, and is operable to emit, in accordance with a state of the rear seat, the light beam toward either said exterior screen or said interior screen.
- 19. (New) The display system according to claim 13, further comprising at least one additional interior screen mounted near the front seat of the vehicle.
- 20. (New) The display system according to claim 14, further comprising at least one additional interior screen mounted near the front seat of the vehicle for displaying the image by reflecting the light beam emitted by said projector.
- 21. (New) The display system according to claim 15, further comprising at least one additional interior screen mounted near the front seat of the vehicle for reflecting the light beam emitted by said projector toward said exterior screen.